INT. J. PROD. RES., 1996, VOL. 34, NO. 12, 3531–3541

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abdel-Malek, L. L., see Tang, C.
Abong, Y., see Trochu, F.
Adamides, E. D., Yamalidou, E. C., and Bonvin, D.: A systemic framework for the recovery of flexible production systems. 1875
Adenso-Diaz, B., and Laguna, M.: Modelling the load levelling problem in master production scheduling for MRP systems 483
Adil, G. K., Rajamani, D., and Strong, D.: Cell formation considering alternate routeings 1361
Aigbedo, H., and Monden, Y.: A simulation analysis for two-level sequence-scheduling for just-in-time (JIT) mixed-model assembly lines 3107
Akturk, M. S., and Balkose, H. O.: Part-machine grouping using a multi-objective cluster analysis 2299
Akturk, M. S., and Yilmaz, H.: Scheduling of automated guided vehicles in a decision making hierarchy 577
Allada, V., and Anand, S.: Machine understanding of manufacturing features . . . 1791
Alt, F. B., see Runger, G. C.
Amirahmadi, F., and Choobineh, F.: Identifying the composition of a cellular manufacturing system 2471
Anand, S., see Allada, V.
Aneja, Y. P., see Rajamani, D.
Angelis, D. I., and Lee, C.-Y.: Strategic investment analysis using activity based costing concepts and analytical hierarchy process techniques 1331
Aparisi, F.: Hotelling's T^2 control chart with adaptive sample sizes 2853
Ashayeri, J., Teelen, A., and Selen, W.: A production and maintenance planning model for the process industry 3311
Atli, A. Ö., see Özdamar, L.
Atwater, J. B., and Chakravorty, S. S.: The impact of restricting the flow of inventory in serial production systems. 2657
Aw, C. A., see Chang, S. I.
Azzone, G., and Noci, G.: Measuring the environmental performance of new products: an integrated approach 3055
Azzone, G., and Rangone, A.: Measuring manufacturing competence: a fuzzy approach 2517

Backhouse, C. J., see Desmukh, S. G.
Balan, C. V., see Sarker, B. R.
Balazinski, M., see Trochu, F.
Balkose, H. O., see Akturk, M. S.
Ball, A. A.: Simple CADCAM procedures for complex shaped components 2461
Basnet, C.: Technical note: Tabu search heuristic for a loading problem in flexible manufacturing systems 1171
Basu, S., Huynh, V. M. and Dutta, S. P.: A formalism for modelling intelligent control of material handling equipment in a distribution centre. 1381
Batra, J. L., see Jagirdar, R.
Batta, R., see Sun, D.
Belhe, U., and Kusiak, A.: The house of quality in a design process 2119
Benjaafar, S., and Ramakrishnan, R.: Modelling, measurement and evaluation of sequencing flexiblity in manufacturing 1195
Berkley, B. J.: A simulation study of container size in two-card kanban systems . . 3417
Bharara, A., and Lee, C.-Y.: Implementation of an activity-based costing system in a small manufacturing company. 1109

Bhaskar, G., and Narendran, T. T.: Grouping PCBs for set-up reduction: a maximum spanning tree approach 621
Billaut, J.-C., and Roubellat, F.: A method for workshop real time scheduling . . . 1555
Boctor, F. F.: Resource-constrained project scheduling by simulated annealing . . . 2335
Boctor, F. F.: The minimum-cost, machine-part cell formation problem 1045
Bonvin, D., see Adamides, E. D.
Bozer, Y. A., see Meller, R. D.
Bozyel, M. A., see Özdamar, L.
Brandolese, M., Franci, M., and Pozzetti, A.: Production and maintenance integrated planning. 2059
Braun, W. J., Rebollar, R., and Schiller, E. F.: Computer aided planning and design of manual assembly systems 2317
Burke, L. I., see Kamal, S.
Burman, M. H., and Gershwin, S. B.: A real-time dynamic lot-sizing heuristic for a manufacturing system subject to random setup times 1625
Burns, N. D., see Desmukh, S. G.

Cao, Q., Patterson, J. W., and Melkonian, J.: A three-stage simulation based approach to inventory management with discrete demand 2533
Carlson, B. J., see Simons, Jr., J. V.
Carter, P. L., see Ho, C.-Jo.
Case, K., see Gindy, N. N. Z.
Caudill, R., see Venkatesh, K.
Chakravorty, S. S., see Atwater, J. B.
Corbett, L. M.: A comparative study of the operations strategies of globally- and domestically-oriented New Zealand manufacturing firms 2677
Chang, S. I., and Aw, C. A.: A neural fuzzy control chart for detecting and classifying process mean shifts 2265
Chang, Suk-Hwa., and Egbelu, P. J.: Dynamic relative positioning of AGCs in a loop layout to minimize mean system response time 1655
Chang, T.-C., see Lee, Y.-S.
Chen, C. C., and Yih, Y.: Indentifying attributes for knowledge-based development in dynamic scheduling environments 1739
Chen, I. J., and Chung, C.-H.: An examination of flexibility measurements and performance of flexible manufacturing systems 379
Chen, J. L., see Sun, S. H.
Chen, M.-C., and Tsai, D.-M.: A simulated annealing approach for optimization of multi-pass turning operations 2803
Chen, M.-F., see Tsai, D.-M.
Chen, S.-L., and Chung, K.-J.: Determination of the optimal production run and the most profitable process mean for a production process 2051
Chen, S. Y., see Wu, M. C.
Cheng, C.-H., Madan, M. S., and Motwani, J.: Designing cellular manufacturing systems by a truncated tree search 349
Cheng, T. C. E., and Musaphir, H.: Theory and practice of manufacturing strategy . 1243
Chiang, W.-C., and Kouvelis, P.: An improved tabu search heuristic for solving facility layout design problems 2565
Choi, M. J.: An exploratory study of contingency variables that affect the conversion to cellular manufacturing systems 1475
Choobineh, F., see Amirahmadi, F.
Choudhury, I. A., and El-Baradie, M. A.: Analysis of model building techniques for the development of machinability database systems 1261
Christy, D. P., see Rishel, T. D.
Chung, C.-H., see Chen, I. J.
Chung, K.-J., see Chen, S.-L.
Clayton, E. R., see Sumichrast, R. T.
Clendenen, G. W., and Rinks, D. B.: The effect of labour costs, holding costs, and uncertainty in demand on pull inventory control policies 1725

Crama, Y., and Oosten, M.: Models for machine-part grouping in cellular manufacturing 1693
Culbreth, C. T., see Fathi, Y.

Dale, B. G., see McTeer, M. M.
Das, C., see Siha, S.
Daugherty, P. J., see Spencer, M. S.
Davis, T., see Johnson, M. E.
De Ron, A. J., see Penev, K. D.
Deane, R. H., see Gargeya, V. B.
Deliman, N. C., and Feldman, R. M.: Optimization of process improvement and inspection location for serial manufacturing 395
Del Valle, A. G., see Roman D. B.
Desmukh, S. G., Burns, N. D., and Backhouse, C. J.: On Green Area implementation problems: a case study 2981
Dessouky, M. M., see Dessouky, Y. M.
Dessouky, Y. M., Roberts, C. A., Dessouky, M. M., and Wilson G.: Scheduling multipurpose batch plants with junction constraints 525
Dhande, S. G., see Jagirdar R.
Dietrich, R. D., see Yakowitz, S. J.
Djassemi, M., see Seifoddini, H.
Duffuaa, S. O.: Impact of inspection errors on performance measures of a complete repeat inspection plan 2035
Duplaga, E. A., Hahn, C. K., and Watts, C. A.: Evaluating capacity change and setup time reduction in a capacity-constrained, joint lot sizing situation 1859
Durand, C., Ramulu, M., St. Pierre, R., and Machan, J.: An experimental analysis of a Nd:YAG laser cutting process for machining silicon nitride 1417
Dussauchoy, A., see Guinet, A.
Dutta, S. P., see Basu, S.
Dweiri, F., and Meier, F. A.: Application of fuzzy decision-making in facilities layout planning 3207

Egbelu, P. J., see Chang, Suk-Hwa.
Egbelu, P. J., see Seo Y.
El-Baradie, M. A., see Choudhury, I. A.
Elsayed, E. A., see Kremen, G. Z.
Eynan, A.: The impact of demands' correlation on the effectiveness of component commonality 1581

Fang, X. D., see Zhang, Z.
Fanti, M. P., Maione, B., Piscitelli, G., and Turchiano, B.: Heuristic scheduling of jobs on a multi-product batch processing machine 2163
Fathi, Y., Kegler, S. R., and Culbreth, C. T.: A column generation procedure for gang-rip saw arbor design and scheduling 313
Feldman, R. M., see Deliman, N. C.
Flores, B., see Sastri, T.
Franci, M., see Brandolese, M.
Frazier, G. V.: An evaluation of group scheduling heuristics in a flow-line manufacturing cell 959
Fredendall, L. D., Melnyk, S. A., and Ragatz, G.: Information and scheduling in a dual resource constrained job shop 2783
Friend, C. H., see Ghobbar, A. A.

Gargeya, V. B., and Deane, R. H.: Scheduling research in multiple resource constrained job shops: a review and critique 2077
Gau, K.-Y., see Meller, R. D.
Gershwin, S. B., see Burman, M. H.

Ghobbar, A. A., and Friend, C. H.: Aircraft maintenance and inventory control using the reorder point system 2863
Gibson, P. R., see Welgama, P. S.
Giffin, J. W., see Watson, K. H.
Gilgeous, V., and Yamada, Y.: An interview based study of two United Kingdom and two Japanese suppliers to Toyota. 1497
Gilmore, S., Hillston, J., Holton, R., and Rettelbach, M.: Specifications in stochastic process algebra for a robot control problem 1065
Gindy, N. N. Z., Ratchev, T. M., and Case, K.: Component grouping for cell formation using resource elements 727
Goodall, W. R., and Roy, R.: Short term scheduling and control in the batch process industry using hybrid knowledge based simulation 33
Goyal, S. K.: Discussion: A note on 'Dealing with a shelf life constraint in cyclic scheduling by adjusting both cycle time and production rate'. 2967
Griffin, P. M., and Yee, S. R.: A decoding algorithm for unique correspondence in range data acquisition. 2489
Gstettner, S., and Kuhn, H.: Analysis of production control systems kanban and CONWIP 3253
Guerin, R. E., see Mahmoodi, F.
Guide, Jr., V. D. R.: Scheduling using drum-buffer-rope in a remanufacturing environment 1081
Guinet, A., Solomon, M. M., Kedia, P. K., and Dussauchoy, A.: A computational study of heuristics for two-stage flexible flowshops 1399
Guinet, A. G. P., and Solomon, M. M.: Scheduling hybrid flowshops to minimize maximum tardiness or maximum completion time 1643
Gupta, M., see Gupta, Y.
Gupta, S. M., see Moore, K. E.
Gupta, Y., Gupta, M., Kumar, A., and Sundaram, S.: A genetic algorithm-based approach to cell composition and layout design problems 447
Gutiérrez, R. A., and Sahinidis, N. V.: A branch-and-bound approach for machine selection in just-in-time manufacturing systems. 797

Hadley, S. W.: Finding part-machine families using graph partitioning techniques. . 1821
Hahn, C. K., see Duplaga, E. A.
Hale, T. S., see Peters, B. A.
Hamblin, D. J., and Lettman, A.: Manufacturing investment–performance causality in the UK clothing industry. 2421
Haouba, A., and Xie, X.: Flow control of two-level assembly lines 2393
Harding, J. A., and Popplewell, K.: Driving concurrency in a distributed concurrent engineering project team: a specification for an Engineering Moderator 841
Harhalakis, G., Lu, T., Minis, I., and Nagi, R.: A practical method for design of hybrid-type production facilities 897
He, D. W., and Kusiak, A.: Performance analysis of modular products 253
Hillston, J., see Gilmore, S.
Ho, C.-Jo, and Carter, P. L.: An investigation of alternative dampening procedures to cope with MRP system nervousness. 137
Ho, N. C., see Khoo, L. P.
Ho, Y.-C., and Moodie, C. L.: Solving cell formation problems in a manufacturing environment with flexible processing and routeing capabilities 2901
Holton, R., see Gilmore, S.
Huang, S. H., see Zhang, H.-C.
Hui, Y. V., see Ng, W. C.
Huynh, V. M., see Basu, S.
Hwang, H., Kim, S. Y., and Moon, S. W.: Determination of optimum unit load size of the AGV in an electronics assembly production system. 1293

Inman, R. R., see Jones, P. C.

Ip, W. L. R., and Loftus, M.: Shaded image machining: a reverse engineering approach using computer vision techniques and analytical methods to reproduce sculptured surfaces 1895
Ishii, N., and Muraki, M.: An extended dispatching rule approach in an on-line scheduling framework for batch process management 329
Iyama, T., Mizuno, M., and Tamaki, J.: Analysis of jig flow in high precision automatic adhesive manufacturing systems 2743

Jacob, R. A., see Madu, C. N.
Jagirdar, R., Jain, V. K., Batra, J. L., and Dhande, S. G.: Characterization of shearing features for sheet metal components in 2-D layout 157
Jain, V. K., see Jagirdar, R.
James, S. W., see Simons, Jr., J. V.
Jardine, A. K. S., see Okumura, S.
Jeang, A.: Optimal tolerance design for product life cycle. 2187
Johnson, M. E., Davis, T., and Lee, H. L.: Robustness of order reliability models with applications to order ageing. 3499
Jones, P. C., and Inman, R. R.: Product grouping for batch processes 3095
Jung, M. Y., and Lee, K. H.: A CAD/CAPP interface for complex rotationally symmetric parts 227

Kaighobadi, M., see Venkatesh, K.
Kamal, S., and Burke, L. I.: FACT: A new neural network-based clustering algorithm for group technology 919
Kannan, V. R.: Incorporating the impact of learning in assessing the effectiveness of cellular manufacturing 3327
Kedia, P. K., see Guinet, A.
Kegler, S. R., see Fathi, Y.
Khmelnitsky, E., and Kogan, K.: Optimal policies for aggregate production and capacity planning under rapidly changing demand conditions 1929
Khmelnitsky, E., see Kogan, K.
Khoo, L. P., and Ho, N. C.: Framework of a fuzzy quality function deployment system 299
Kim, C., see O'Grady, P. J.
Kim, J., and Klein, C. M.: Location of departmental pickup and delivery points for an AGV system 407
Kim, J., see Klein, C. M.
Kim, S. Y., see Hwang, H.
Kim, Y., see O'Grady, P. J.
Kim, Y., and O'Grady, P. J.: A methodology for analysing large-scale concurrent engineering systems. 633
Kim, Yeong-Dae., see Lee, Dong-Ho.
Kimms, A.: Competitive methods for multi-level lost sizing and scheduling: tabu search and randomized regrets 2279
Klein, C. M., and Kim, J.: AGV dispatching 95
Klein, C. M., see Kim, J.
Knapp, G. M., and Wang, H.-P.: Automated tactical maintenance planning based on machine monitoring 753
Kogan, K., and Khmelnitsky, E.: An optimal control model for continuous time production and setup scheduling 715
Kogan, K., see Khmelnitsky, E.
Kouvelis, P., see Chiang, W.-C.
Krajewski, L. J., see Sheu, C.
Kremen, G. Z., Elsayed, E. A., and Rafalovich, V. I.: Mechanism of material removal in the magnetic abrasive process and the accuracy of machining 2629
Kuei, C.-H., see Madu, C. N.
Kuhn, H., see Gstettner, S.
Kulkarni, V. S., and Pande, S. S.: Representation of feature relationship tolerances in solid models 1975

Kumar, A., see Gupta, Y.
Kumar, A., see Malakooti, B.
Kumar, V., Murphy, S. A., and Loo, S. C. K.: An investment decision process: the case of advanced manufacturing technologies in Canadian manufacturing firms . . 947
Kusiak, A., and Lee, H.: Neural computing-based design of components for cellular manufacturing 1777
Kusiak, A., see Belhe, U.
Kusiak, A., see He, D. W.

Laguna, M., see Adenso-Diaz, B.
Lai, Y.-J.: Possibilistic multi-response quality design 3341
Larbrisseau, P., see Trochu, F.
Lee, C.-Y., see Angelis, D. I.
Lee, C.-Y., see Bharara, A.
Lee, Dong-Ho., and Kim, Yeong-Dae.: Part-mix allocation in a hybrid manufacturing system with a flexible manufacturing cell and a conventional jobshop 1347
Lee, H., see Kusiak, A.
Lee, H. F., see Schaefer, S. K.
Lee, H. L., see Johnson, M. E.
Lee, J., Tangjarukij, M., and Zhu, Z.: Load selection of automated guided vehicles in flexible manufacturing systems. 3383
Lee, J.-J., see Suh, S.-H.
Lee, K. H., see Jung, M. Y.
Lee, S.-K., see Suh, S.-H.
Lee, Y.-S., and Chang, T.-C.: Automatic cutter selection for 5-axis sculptured surface machining 977
Lee, Y.-S., and Chang, T.-C.: Machined surface error analysis for 5-axis machining . 111
Legge, D. I.: Integration of design and inspection systems – a literature review. . . 1221
Lettiere, C. A., see Simons, Jr., J. V.
Lettman, A., see Hamblin, D. J.
Lewis, H. S., Sweigart, J. R., and Markland, R. E.: An interactive decision framework for multiple objective production planning 3145
Liang, M., see Wang, D. X.
Lin, C.-L., see Liu, C.-M.
Liu, C.-M., Su, S.-F., and Lin, C.-L.: Predictive models for performance evaluation of serial production lines. 1279
Liu, J., and MacCarthy, B. L.: The classification of FMS scheduling problems . . . 647
Loftus, M., see Ip, W. L. R.
Logendran, R., and Sriskandarajah, C.: Sequencing of robot activities and parts in two-machine robotic cells 3447
Loo, S. C. K., see Kumar, V.
Lu, T., see Harhalakis, G.
Lu, W.-J., see Tsai, D.-M.
Lye, S.-W., and Yeong, H.-Y.: Associativity modelling of a mould assembly for expandable polystyrene foam 1161

MacCarthy, B. L., see Liu, J.
Macchiaroli, R., and Riemma, S.: Design of a tool management system in a flexible cell. 767
Machan, J., see Durand, C.
Madan, M. S., see Cheng, C.-H.
Madu, C. N., Kuei, C.-H., and Jacob, R. A.: An empirical assessment of the influence of quality dimensions on organizational performance 1943
Mahmoodi, F., Mosier, C. T., and Guerin, R. E.: The effect of combining simple priority heuristics in flow-dominant shops 819
Maione, B., see Fanti, M. P.
Malakooti, B., and Kumar, A.: A knowledge-based system for solving multi-objective assembly line balancing problems. 2533

Malmborg, C. J.: Machine scheduling models in environmentally focused chemical manufacturing 209
Malmborg, C. J.: An integrated materials handling model for machine location in existing facilities 1145
Malmborg, C. J.: Storage assignment policy tradeoffs 363
Mani, K., see Veeramani, D.
Markland, R. E., see Lewis, H. S.
McTeer, M. M., and Dale, B. G.: The process of ISO 9000 series registration: an examination in small companies 2379
Mediate, Jr., B. A., see Simons Jr., J. V.
Meeran, S., see Trabelsi, A.
Mei, J., see Zhang, H.-C.
Meier, F. A., see Dweiri, F.
Melkonian, J., see Cao, Q.
Meller, R. D., and Bozer, Y. A.: A new simulated annealing algorithm for the facility layout problem 1675
Meller, R. D., and Gau, K.-Y.: Facility layout objective functions and robust layouts 2727
Melnyk, S. A., see Fredendall, L. D.
Middleton, D.: Technical note: The stochastic flowshop makespan: some further results 889
Midha, P. S., see Zhu, C. B.
Minis, I., see Harhalakis, G.
Minor, E. D., see Wen, H. J.
Mizuno, M., see Iyama, T.
Monden, Y., see Aigbedo, H.
Montgomery, D. C., see Runger, G. C.
Moodie, C. L., see Ho, Y.-C.
Moon, S. W., see Hwang, H.
Moore, K. E., and Gupta, S. M.: Petri net models of flexible and automated manufacturing systems: a survey 3001
Mosier, C. T., see Mahmoodi, F.
Motwani, J., see Cheng, C.-H.
Mukhopadhyay, S. K., and Saku, S. K.: Priority-based tool allocation in a flexible manufacturing system 1995
Muraki, M., see Ishii, N.
Murphy, S. A., see Kumar, V.
Murty, A. S. R., and Naikan, V. N. A.: Condition monitoring strategy—a risk based interval selection 285
Musaphir, H., see Cheng, T. C. E.

Nagi, R., see Harhalakis, G.
Naikan, V. N. A., see Murty, A. S. R.
Nair, G. J. K., and Narendran, T. T.: Grouping index: a new quantitative criterion for goodness of block-diagonal forms in group technology 2767
Narendran, T. T., see Bhaskar, G.
Narendran, T. T., see Nair, G. J. K.
Nee, A. Y. C., see Ong, S. K.
Newman, S. T., see Toh, K. T. K.
Ng, W. C., and Hui, Y. V.: Interactive quality improvement of a process subject to complete inspection 3275
Ngoi, B. K. A., and Seow, M. S.: A Window approach for tolerance charting . . . 1093
Noci, G., see Azzone, G.

O'Grady, P. J., Kim, C., and Kim, Y.: Feature-based design of electronics assemblies 1307
O'Grady, P. J., see Kim. Y.
Ohba, M., see Tsubone, H.

Okumura, S., Jardine, A. K. S., and Yamashina, H.: An inspection policy for a deteriorating single-unit system characterized by a delay-time model 2441
Ong, S. K., and Nee, A. Y. C.: An intelligent fuzzy set-up planner for manufacturability and fixturability evaluations 665
Oosten, M., see Crama, Y.
Özdamar, L., Atli, A. Ö., and Bozyel, M. A.: Heuristic family disaggregation techniques for hierarchical production planning systems 2613

Pan, C.-H., and Wang, C.-H.: A framework for the dual command cycle travel time model in automated warehousing systems. 2099
Pande, S. S., see Kulkarni, V. S.
Park, Sungsoo., see Sohn, Jinhyeon.
Patterson, J. W., see Cao, Q.
Penev, K. D., and de Ron, A. J.: Determination of a disassembly strategy 495
Peters, B. A., Smith, J. S., and Hale, T. S.: Closed form models for determining the optimal dwell point location in automated storage and retrieval systems . . . 1757
Peters, B. A., and Subramanian, G. S.: Analysis of partial setup strategies for solving the operational planning problem in parallel machine electronic assembly systems. 999
Philipoom, P. R., Rees, L. P., and Taylor III, B. W.: Simultaneously determining the number of kanbans, container sizes, and the final-assembly sequence of products in a just-in-time shop 51
Piscitelli, B., see Fanti, M. P.
Popplewell, K., see Harding, J. A.
Pozzetti, A., see Brandolese, M.

Qi, K. Z., see Wang, D. X.

Radcliffe, D. F., see Tincknell, D. J.
Rafalovich, V. I., see Kremen, G. Z.
Ragatz, G., see Fredendall, L. D.
Rajamani, D., see Adil, G. K.
Rajamani, D., Singh, N., and Aneja, Y. P.: Design of cellular manufacturing systems 1917
Rajendran, C., see Sharadapriyadarshini, B.
Ramakrishnan, R., see Benjaafar, S.
Rampersad H. K.: Robotic assembly system design for total productivity. 71
Ramulu, M., see Durand, C.
Rangone, A., see Azzone, G.
Ratchev, T. M., see Gindy, N. N. Z.
Rebollar, R., see Braun, W. J.
Rees, L. P., see Philipoom, P. R.
Rettelbach, M., see Gilmore S.
Riemma, S., see Macchiaroli, R.
Rinks, D. B., see Clendenen, G. W.
Rishel, T. D., and Christy, D. P.: Incorporating maintenance activities into production planning; integration at the master schedule versus material requirements level . 421
Roberts, C. A., see Dessouky, Y. M.
Rogers, D. S., see Spencer, M. S.
Roman, D. B., and del Valle, A. G.: Dynamic assignation of due-dates in an assembly shop based in simulation. 1539
Rosenwein, M. B.: A comparison of heuristics for the problem of batching orders for warehouse selection. 657
Roubellat, F., see Billaut, J.-C.
Roy, R., see Goodall, W. R.
Runger, G. C.: Multivariate statistical process control for autocorrelated processes 1715
Runger, G. C., Alt, F. B., and Montgomery, D. C.: Controlling multiple stream processes with principal components 2991

Sahinidis, N. V., see Gutiérrez, R. A.
Saku, S. K., see Mukhopadhyay, S. K.
Sarker, B. R., and Balan, C. V.: Cell formation with operation times of jobs for even distribution of workloads 1447
Sastri, T., Valdés, J. B., and Flores, B.: Nonlinear control charts for jump detection 1023
Savsar, M.: Effects of kanban withdrawal policies and other factors on the performance of JIT systems—a simulation study 2879
Schaefer, S. K., and Lee, H. F.: Retrieval sequencing for unit-load automated storage and retrieval systems with multiple openings. 2943
Schiller, E. F., see Braun, W. J.
Seifoddini, H., and Djassemi, M.: A new grouping measure for evaluation of machine-component matrices 1179
Seifoddini, H., and Djassemi, M.: The threshold value of a quality index for formation of cellular manufacturing systems 3401
Seifoddini, H., and Zhang, J.: Application of simulation and Petri net modelling in manufacturing control systems. 191
Selen, W., see Ashayeri, J.
Seo, Y., and Egbelu, P. J.: Process plan selection based on product mix and production volume 2639
Seow, M. S., see Ngoi, B. K. A.
Sharadapriyadarshini, B., and Rajendran, C.: Formulations and heuristics for scheduling in a buffer-constrained flowshop and flowline-based manufacturing cell with different buffer-space requirements for jobs: Part 1 3465
Sheu, C., and Krajewski, L. J.: A heuristic for formulating within-plant manufacturing focus 3165
Shin, Y. C., and Vishnupad, P.: Neuro-fuzzy control of complex manufacturing processes 3291
Siha, S., and Das, C.: A model for the optimal timing and sizing of capacity increments for single-location facilities 273
Silver, E. A.: A concern regarding the revised product-process matrix 3285
Silver, E. A.: Comment on Goyal's note 2971
Simons, Jr., J. V., Simpson, III, W. P., Carlson, B. J., James, S. W., Lettiere, C. A., and Mediate, Jr., B. A.: Formulation and solution of the drum-buffer-rope constraint scheduling problem (DBRCSP) 2405
Simpson, III, W. P., see Simons, Jr., J. V.
Singh, N., see Rajamani, D.
Singh V., and Weston, R. H.: Life cycle support of manufacturing systems based on an integration of tools 1
Smith, C. H., see Wen, H. J.
Smith, J. S., see Peters, B. A.
Smith, S. B., see Venkataraman, R.
Smith, T. M., and Stecke, K. E.: On the robustness of using balanced part mix ratios to determine cyclic part input sequences into flexible flow systems 2925
Sohn, Jinhyeon., and Park, Sungsoo.: Efficient operation of a surface mounting machine with a multihead turret 1131
Solomon, M. M., see Guinet, A. G. P.
Solomon, M. M., see Guinet, A.
Spencer, M. S., Daugherty, P. J., and Rogers, D. S.: Logistics support for JIT implementation 701
Sriskandarajah, C., see Logendran, R.
Stecke, K. E., see Smith T. M.
St. Pierre, R., see Durand, C.
Strong, D., see Adil, G. K.
Su, S. F., see Liu, C.-M.
Subramanian, G. S., see Peters, B. A.
Suh, S.-H., Lee, S.-K., and Lee, J.-J.: Compensating probe radius in free surface modelling with CMM: simulation and experiment. 507

Sumichrast, R. T., and Clayton, E. R.: Evaluating sequences for paced, mixed-model assembly lines with JIT component fabrication 3125
Sun, D., and Batta, R.: Scheduling larger job shops: a decomposition approach . . 2019
Sun, S. H., and Chen, J. L.: An index system for modular fixture design: applied to case-based reasoning 3487
Sun, X.-C., and Tchernev, N.: Impact of empty vehicle flow on optimal flow path design for unidirectional AGV systems. 2827
Sun, Y.-L., and Yih, Y.: An intelligent controller for manufacturing cells 2353
Sundaram, S., see Gupta, Y.
Sweigart, J. R., see Lewis, H. S.

Tadayon, F.: Assembly problem identification by using cluster analysis 879
Tamaki, J., see Iyama, T.
Tang, C., and Abdel-Malek, L. L.: A framework for hierarchical interactive generation of cellular layout. 2133
Tangjarukij, M., see Lee, J.
Taylor III, B. W., see Philipoom, P. R.
Tchernev, N., see Sun, X.-C.
Teelen, A., see Ashayeri, J.
Thiel, D.: Analysis of the behaviour of production systems using continuous simulation 3227
Tincknell, D. J., and Radcliffe, D. F.: A generic model of manufacturing flexibility based on system control hierarchies 19
Toh, K. T. K., and Newman, S. T.: The future role of DNC in metalworking SMEs . 863
Trabelsi, A., and Meeran, S.: Recognition and interpretation of interacting and non-interacting features using spatial decomposition and Hamiltonian path search . 2701
Trmal, G. J., see Zhu, C. B.
Trochu, F., Abong, Y., Balazinski, M., and Larbrisseau, P.: Rough machining of free-form surfaces defined by dual kriging 1603
Tsai, D.-M., and Chen, M.-F.: A fast machine vision approach for automatic recognition of industrial parts 687
Tsai, D.-M., and Lu, W.-J.: Detecting and locating burrs of industrial parts 3187
Tsai, D.-M., see Chen, M.-C.
Tsubone, H., Ohba, M., and Uetake, T.: The impact of lot sizing and sequencing on manufacturing performance in a two-stage hybrid flow shop 3037
Turchiano, B., see Fanti, M. P.

Uetake, T., see Tsubone, H.
Urzi, A., see Ye, N.

Valdés J. B., see Sastri, T.
Vargas, V. A., Whybark, D. C., and Xiao, C.-Z.: Comparing manufacturing output and practices in China, Hungary, the USSR and USA 1429
Varghese, P., Zhang, C., and Wang, H.-P.: A design of experiment approach to the selection of CMM form-fitting algorithms 2755
Veeramani, D., and Mani, K.: A polynomial-time algorithm for optimal clustering in a special class of {0.1}-matrices 2587
Venkataraman, R., and Smith, S. B.: Disaggregation to a rolling horizon master production schedule with minimum batch-size production restrictions 1517
Venkatesh, K., Zhou, M.-C., Kaighobadi, M., and Caudill, R.: A Petri net approach to investigating push and pull paradigms in flexible factory automated systems . . 595
Vishnupad, P., see Shin Y. C.
Viswanathan, S.: A new approach for solving the P-median problem in group technology 2691

Wang, C.-H., see Pan, C.-H.
Wang, D. X., Zuo, M. J., and Qi, K. Z. and Liang, M.: On-line tool adjustment with adaptive tool wear function identification. 2499

Wang, H.-P., see Knapp, G. M.
Wang, H.-P., see Varghese, P.
Watson, K. H., and Giffin, J. W.: On the worst case performance of TESSA . . . 2963
Watts, C. A., see Duplaga, E. A.
Welgama, P. S., and Gibson, P. R.: An integrated methodology for automating the determination of layout and materials handling system 2247
Wen, H. J., Smith, C. H., and Minor, E. D.: Formation and dynamic routeing of part families among flexible manufacturing cells 2229
Weston, R. H., see Singh, V.
Whybark, D.C., see Vargas, V. A.
Wilson, G. J., see Dessouky, Y. M.
Wu, M. C., and Chen, S. Y.: A cost model for justifying the acceptance of rush orders 1963

Xiao, C.-Z., see Vargas, V. A.
Xie, X., see Haouba, A.

Yakowitz, S. J., and Dietrich, R. D.: Sequential design with applications to the trim-loss problem 785
Yamada, Y., see Gilgeous, V.
Yamalidou, E. C., see Adamides, E. D.
Yamashina, H., see Okumura, S.
Ye, N., and Urzi, D. A.: Heuristic rules and strategies of assembly planning: experiment and implications in the design of assembly decision support system 2211
Ye, N., and Zhao, B.: A hybrid intelligent system for fault diagnosis of advanced manufacturing system 555
Yee, S. R., see Griffin, P. M.
Yeong, H.-Y., see Lye, S.-W.
Yih, Y., see Chen, C. C.
Yih, Y.: see Sun, Y.-L.
Yilmaz, H., see Akturk, M. S.

Zhang, C., see Varghese, P.
Zhang, G.: Simultaneous tolerancing for design and manufacturing 3361
Zhang, H.-C., Huang, S. H., and Mei, J.: Operational dimensioning and tolerancing in process planning set up planning 1841
Zhang, J., see Seifoddini, H.
Zhang, Z., and Fang, X. D.: Fit capability indices and their applications 3079
Zhao, B., see Ye, N.
Zhou, M.-C., see Venkatesh, K.
Zhu, C. B., Midha, P. S., and Trmal, G. J.: Monitoring and evaluation of process parameters in a plunge grinding operation 543
Zhu, Z., see Lee, J.
Zuo, M. J., see Wang, D. X.